

# 1030

## Air-Cooled Ice Bagger




- Efficient air-cooled ice bagger system with self-contained stainless steel design
- Produces up to 1275 lbs of crescent ice cubes in 24 hours\*
- Ice storage up to 650 lbs
- Designed to conserve water and energy
- Hands-free dispensing with foot pedal
- Monitor performance with innovative alert system
- Easy one-button, one-hour cleaning cycle
- Optional ice shoot dispensing or cooler stand




# Product Details

The 1030 is designed to handle the demands of commercial environments with reliability and efficiency. Featuring a touchless foot pedal that provides a hygienic, hands-free way to dispense ice, ideal for quickly filling coolers or bagging ice. Built with a CycleSaver system to reduce energy and water usage and equipped with an EverCheck™ alert system, it helps maintain efficiency while keeping users informed of any notifications. The 1030's durable stainless steel construction resists dirt and fingerprints for easy cleaning, and maintenance is simplified with a one-button, one-hour cleaning cycle. Producing up to 53 lbs of ice per hour and storing up to 650 lbs\*, the 1030's air-cooled system operates entirely within the machine for a straightforward setup.

 Commercial capacity

## 1030 Features:

- Produces up to 53 lbs/hr \* of crescent shaped ice with storage for up to 650 lbs+
- Touchless foot pedal dispensing for easy dispensing into coolers or ice bags
- Features CycleSaver design for energy and water saving while prolonging the optimum performance of the machine
- Features EverCheck™ alert system provided to monitor performance and promptly alert users to any issues
- Fingerprint-resistant, easy-to-clean stainless-steel exterior with easy one-button, one-hour internal cleaning cycle
- R-404A refrigerant ensures consistent ice production in commercial environments
- Air-cooled system delivers efficiency with a simple, self-contained design operating entirely within the machine
- Alternative storage options available as a 700 lb capacity scoopable bin (1035) or a 900 lb capacity scoopable bin (1045) for locations with standard ceiling heights <10 ft



Culligan Quench products are certified by independent authorized 3rd party laboratories in accordance of appropriate industry standards. To find out more about which certification your product may have, please contact us.

# Specifications

	1030	1035	1045
Ice Type	Crescent	Crescent	Crescent
Dimensions	119.5" h x 34.25" w x 46" d / 304 cm h x 87 cm w x 117 cm d	87.5" h x 44" w x 32.5" d / 222.3 cm h x 111.8 cm w x 82.6 cm d	87.5" h x 52" w x 32.5" d / 222.3 cm h x 132.1 cm w x 82.6 cm d
Dispensing Area	17"	N/A	N/A
Dispense Type	Bagger	Scoop Bin	Scoop Bin
Weight	798 lbs / 362.87 kg	470 lbs / 213.2 kg	490 lbs / 222.3 kg
Ice Production per 24 hrs*	1275 lbs	1275 lbs	1275 lbs
Ice Storage Capacity	650 lb	700 lb	900 lb
Recommended Water Pressure	10 – 113 psi	10 – 113 psi	10 – 113 psi
Electrical Requirements**	(1) 115V/60/1 standard outlet, (1) 208-230V/60/1 NEMA 14-20R w/20A dedicated circuit	(1) 115V/60/1 standard outlet, (1) 208-230V/60/1 NEMA 14-20R w/20A dedicated circuit	(1) 115V/60/1 standard outlet, (1) 208-230V/60/1 NEMA 14-20R w/20A dedicated circuit
Icemaker/Bagger Storage Amperage	12.4A / 10.8	12.4A / 10.8	12.4A / 10.8
Power Consumption <sup>+</sup>	4.27 kWh	4.2 kWh	4.2 kWh
Drain Requirement	Install is required to be within 10 ft of drain		
Clearance Requirement	Allow 24" / 61 cm at sides & top. Allow 12" / 30.5 cm at rear.		
Model Number	1030	1035	1045

\*Ice production can change based on source water and ambient air temperature. The specifications lists are for 70° F air and 50° F water source temperature. Culligan Quench recommends that installation location ambient air temperature averages 45 - 90° F and water source temperature averages 45 - 80° F.

\*\*If drain pump is required, (1) additional 115V/60/1 standard outlet will be required.

+Per 100 lbs of ice in 90° F air temperature/70° F source water